



Application :	· · · ·	Examiner:	K. CANELLA	GAU:	1642
From:	R. Mitch	Location:	IDC FMF FDC	Date:	7/25/05
		Tracking #:	4113696	Week Date:	6/6/05
<b>X</b>	DOC CODE  1449  1DS CLM IIFW SRFW DRW OATH	3\30\0 (	MISCELL Continuing Foreign Price Document I Fees Other	Data ority	
[RUSH] MES	☐ 312 ☐ SPEC SAGE:At	ENTION CHIE	F De AFTS PE	PC324	
F162+	-3 ARE DA	rk.	THA	nk Yeu Rom	
[XRUSH] RE		attached-	08/22/05 my.	Alan	the g
		luded as part of the off	C · I I (opmo		ALS: NRJ

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.

**REV 10/04** 



## United States Patent and Trademark Office

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NUMBER 09/822379

FILING/RECEIPT DATE 03/30/2001

FIRST NAMES APPLICANT LOW, PHILIP **STEWART** 

ATTORNEY DOCKET NUMBER 3220-67883

**BARNES & THORNBURG** 11 SOUTH MERIDIAN **INDIANAPOLIS IN 46204** 

CANELLA, KAREN

Art Unit <u>1642</u>

Paper Number

Date Mailed: 08-05-05

## **Notice Regarding Drawings**

Corrected drawings for the above-identified application, received in the USPTO on 03/30/2001 are still not acceptable for the reason(s) identified on the attached PTO-948. Applicant is given one opportunity to correct the informalities within a two-month time period from the mailing date of this Notice. THIS TIME PERIOD IS NOT EXTENDABLE UNDER EITHER 37 CFR 1.136(a) OR 1.136(b). Failure to take corrective action within the set period will result in abandonment of the application.

ATTACHMENT: PTO-948 Notice of Draftsperson's Patent Review

**RETURN CORRECTED DRAWINGS TO:** 

**Commissioner for Patents** P.O. Box 1450 Alexandria, Virginia 22313-1450 Prawings received.


08/22/05


Manay


## NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

drawings are required.  DRAWINGS. 37 CFR 1.84(a): Acceptable ategories of drawings: Black ink or color (3 sets required.)  Color (3 sets required.)  Color drawings are not acceptable until petition is granted. Fig(s)  Pencel and non black ink not permitted. Fig(s)  Pencel and non black ink not permitted. Fig(s)  Photographs may not be mounted. 37 CFR 1.84(c) Proor quality Meli-tione. Fig(s)  Type of PAPER. 37 CFR 1.84(d)  Size OF PAPER. 37 CFR 1.84(d)  Fig(s)  10 cm by 29.7 cm (DIN size A4) or fig(s)  Lises: 10 cm by 29.7 cm (DIN size A4) or fig(s)  All drawing sheets not an acceptable size. Fig(s)  Drawings sheets not an acceptable size. Fig(s)  Top (T)  Margins for acceptable fig(s)  Top (T)  Left (L)  Right (R)  Bottom (B)  VIEWS. 37 CFR 1.84(h)  Elighloc. Fig(s)  Sectional designation should be noted with trable or Roman numbers. Fig(s)  Sectional designation should be noted with trable or Roman numbers. Fig(s)  Sectional designation should be noted with trable or Roman numbers. Fig(s)  Sectional designation should be noted with trable or Roman numbers. Fig(s)  MMMENTS:  Grant Date of the Paper No.  Sectional designation should be noted with trable or Roman numbers. Fig(s)  Sectional designation should be noted with trable or Roman numbers. Fig(s)  Sectional designation should be noted with trable or Roman numbers. Fig(s)  Sectional designation should be noted with trable or Roman numbers. Fig(s)  Sectional designation should be noted with trable or Roman numbers. Fig(s)  Sectional designation should be noted with trable or Roman numbers. Fig(s)  Sectional designation should be noted with trable or Roman numbers. Fig(s)  Sectional designation should be noted with trable or Roman numbers. Fig(s)  Sectional designation should be noted with trable. The Roman Ro	rawing(s) filed (insert date)	are:
categories of drawings: Black ink or Color (3 sets required).  Color (3 sets required).  Color drawings are not acceptable until petition is granted. Fig(s)  Pencil and non black ink not permitted. Fig(s)  PHOTOGRAPHS. 37 CFR 1.84(t)  Photographs must meet paper size requirements of 37 CFR 1.84(t). Fig(s)  Poor quality (half-tone). Fig(s)  3. TYPE OF PAPER. 37 CFR 1.84(e)  Paper not fixible, strong, white, and durable. Fig(s)  Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s)  Scauses, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s)  Size OF PAPER. 37 CFR 1.84(f). Acceptable sizes:  Sheet(s)  Drawings sheets not the same size.  Sheet(s)  Prop (1) Left (L)  Right (R)  Bottom (B)  RMINDER: Specification may require reytion to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1.4. Fig 18 and Fig. 1/2 etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not tabeled separately or properly.  Fig(s)  OMMENTS:  GMMENTS:  GMMENTS:  GMMENTS:  Provided (R)  Words do not appear on a horizontal (helpfs) in the same size.  Scale not large enough to show mechanism without corwding when drawing is reduced in size to two-thirds in reproduction.  Fig(s)  10. CHARACTER OF LINES, NUMBERS, & LETTERS, 4R (EPERENCE CHARACTERS), 37 CFR 1.84(p)  Left (S)  Left (S)  Left (S)  Left (S)  Left (S)  Left (S)  Mumbers and reference characters not plain and legible, Fig(s)  Numbers and reference characters must be at least 32 cm (1/8 inch) in height, 37 CFR 1.84(p)(1)  Fig(s)  Numbers and reference characters must be at least 32 cm (1/8 inch) in height, 37 CFR 1.84(p)(1)  Fig(s)  Numbers specification and the provide of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  Sectional designation should be noted with	B objected to by the Draftsperson under 37 CFR 1.84 of	
2. PHOTOGRAPHS. 37 CFR 1.84(b) One (1) fill-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(c) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) A TYPE OF PAPER. 37 CFR 1.84(g) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) A SIZE OF PAPER. 37 CFR 1.84(f) Drawings sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Margins not acceptable size. Fig(s) Top (7) Left (L) Right (R) Bottom 1.0 cm Margins not acceptable rigits) Top (2) cm Left (2) cm Right 1.5 cm Byttom 1.0 cm Margins not acceptable rigits) Top (7) Left (L) Right (R) Bottom 10 cm Margins not acceptable rigits) Top (7) Left (L) Right (R) Solid black stading not permitted. Fig(s) Top (7) Left (L) Right (R) Bottom 10 cm Margins not acceptable rigits) Top (7) Left (L) Right (R) Bottom 10 cm Margins not acceptable rigits) Top (7) Left (L) Right (R) Solid black stading not permitted. Fig(s) Top (7) Left (L) Right (R) Solid black stading not permitted. Fig(s)  Yellow to the same size. Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Numbers. Retrest and reference characters not principle. Fig(s) Numbers. Retrest and reference characte	categories of drawings: Black ink or Color (3 sets required).  Color drawings are not acceptable until petition is granted. Fig(s)	Words do not appear on a horizontal, left-to-right fashion when page is either upright or turned so that the top becomes the right side, except for graphs. Fig(s)
Poor quality (half-tone). Fig(s)  3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erssures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s)  4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Margins not acceptable. Fig(s) Mumbers and reference characters not plain and legible. Fig(s) English alphabet not used. 37 CFR 1.84(p)(1) Fig(s) Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(1) Fig(s) Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(1) Fig(s) Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(1) Fig(s) Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(1) Fig(s) Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(1) Fig(s) Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(1) Fig(s) Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(1) Fig(s) Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in heig	2. PHOTOGRAPHS. 37 CFR 1.84(b)  One (1) full-tone set is required. Fig(s)  Photographs may not be mounted. 37 CFR 1.84(e)  Photographs must meet paper size requirements of	Scale not large enough to show mechanism without crowding when drawing is reduced in size to two-thirds in reproduction.  Fig(s)
A SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes:  21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 I/2x I1 inches) All drawing sheets not the same size.  Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bittom 1.0 cm Margins not acceptable. Fig(s) Margins not acceptable. Fig(s) Minibers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Minibers: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C etc., the specification; at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  COMMYENTS:  Ang. Labels placed macorrectly—Fig. 2, 3, 9–17  Date  Date  Date  Attachment to Paper No.	Poor quality (half-tone). Fig(s)  3. TYPE OF PAPER. 37 CFR 1.84(e)  Paper not flexible, strong, white, and durable.  Fig(s)  Erasures, alterations, overwritings. interlineations,	LETTERS. 37 CFR 1.84(I)  Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s)  11. SHADING 37 CFR 1.84(m)
All drawing sheets not the same size.  Sheet(s)  Drawings sheets not an acceptable size. Fig(s)  5. MARGINS. 37 CFR 1.84(g): Acceptable margins.  Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm  Margins not acceptable. Fig(s)  Top (T)  Left (L)  Right (R)  Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 10, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  COMMENTS:  Arabic or Roman numbers. Fig(s)  Pig(s)  Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2)  Fig(s)  Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2)  Fig(s)  Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2)  Fig(s)  Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2)  Fig(s)  Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2)  Fig(s)  Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2)  Fig(s)  Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2)  Fig(s)  Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2)  Fig(s)  Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2)  Fig(s)  Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2)  Fig(s)  Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2)  Fig(s)  Numbers. letters and reference characters mus	Fig(s)  4. SIZE OF PAPER. 37 CFR \ 84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or	Solid black shading not permitted. Fig(s)  12. NUMBERS, LETTERS, & REFERENCE  CHARACTERS. 37 CFR 1.84(p)  Numbers and reference characters not plain and
Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 10, etc., the specification; at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  COMMENTS:  Arabic Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 10, etc., the specification; at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Solid black surface shading shown not appropriate. Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)  COMMENTS:  Attachment to Paper No.  Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 7.84(q)  1.84(p)(3), Fig(s)  13. LEAD LINES. 37 CFR 4.84(q)  Leadlines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(h)  Sheets not numbered consecutively, and in Arabic numbers beginning with number 1. Fig(s)  15. NUMBERING OF VIEWS. 37 CFR 1.84(h)  Views not numbered consecutively, and in Arabic numbers beginning with number 1. Fig(s)  Solid black surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)  Date  Date  Attachment to Paper No.	All drawing sheets not the same size.  Sheet(s) Drawings sheets not an acceptable size. Fig(s)  5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm	Figure legends are poor. Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1)  Fig(s)  English alphabet not used. 37 CFR 1.84(p)(2)
specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS, 37 CFR 1.84(h)(3)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Arabic or Roman numbers. Fig(s)  COMMENTS:  Fig, Labels placed mcorrectly - Fig. 23,9-17  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Date  Date  Photograph of the Drawings, must likewise be changed.  Sheets not numbered consecutively, and in Arabic numbers beginning with number 1. Sheet(s)  15. NUMBERING OF VIEWS. 37 CFR 1.84(u)  Views not numbered consecutively, and in Arabic numbers beginning with number 1. Fig(s)  16. DESIGN DRAWINGS. 37 CFR 1.152  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)  COMMENTS:  Fig. Labels placed mcorrectly - Fig. 23,9-17  Date  Photograph of the Drawing of the Drawing of the Indicate of th	Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is	Numbers, letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR  1.84(p)(3). Fig(s)  13. LEAD LINES. 37 CFR + 84(q)
	specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)	37 CFR 1.84(t)  Sheets not numbered consecutively, and in Arabic numbers beginning with number 1. Sheet(s)  15. NUMBERING OF VIEWS. 37 CFR 1.84(u)
color contrast. Fig(s)  COMMENTS: Fig, Labels placed moorrectly - Fig. 2,3,9-17  viewer	Sectional designation should be noted with	numerals, beginning with number 1. Fig(s)  16. DESIGN DRAWINGS. 37 CFR 1.152  Surface shading shown not appropriate.  Fig(s)
viewer	COMMENTS: Fig. Labels placed	color contrast. Fig(s)
you have questions, call (703) 305-2007. 0333 × 132 Attachment to Paper No.	The	an lot l
	ou have questions, call (703) 305-207.0333×132	Attachment to Paper No.
, ,	Drawings Receive. 08/22/05 Approved	Allan Flory

EFFECT OF FOLATE TARGETED IMMUNOTHERAPY ON THE SURVIVAL OF MICE WITH LUNG TUMOR IMPLANTS











FOLATE-FITC TREATED FITC IMAGE




UNTREATED PE IMAGE


IFILG. 3c





FOLATE-FITC TREATED
PE IMAGE.


IFIG 3 dl



















-o- FEFITC (1500 nmol/kg), IL -2 (250,000 IU/DAY), AND IFN-a(25,000 U/DAY)


- ▲-▼- ◆-PBS CONTROL GROUPS AT RESPECTIVE TUMOR IMPLANTATION TIME POINTS




DAYS POST TUMOR IMPLANTATION





IFII 6. II II





DAYS POST TUMOR IMPLANTATION











IFIC. 117